






why you should prefer **WIX** proportional dosing pumps

- Accurate Dispensing
- Uses only 20% of pressure to drive the pump
- No electricity required
- Low maintenance and easy to adjust



Chemically resistant polypropylene and fiberglass construction

Easily replaceable lip seals



Larger check valve with Hastelloy spring and Viton seals for more viscous products

Viton foot valve with ceramic weight

3/8" I.D. pickup tube



MixRite 10 Models to meet your applications

FLOW RANGE .09-11 GPM (.34-41.6 LPM)

OPERATING TEMP.37-122 F (4C-50 C) Note: Models 576 and 577 39F-104 F (4C-40C)

MODEL	PRESSURE		0	INDUCTION			OPTIONS	
	C. Y. 10.46		Ratio P	ercent C	z/Gal Ml/Li	ter		
570	2.9 - 85 PSI	.19-8.0 BAR	500:1 to 50:1	.2% to 2%	.25 to 2.5	2 to 20		
571	2.9 - 85 PSI	.19-8.0 BAR	500:1 to 50:1	.2% to 2%	.25 to 2.5	2 to 20	Chemical On/Off	
	A STATE OF THE PARTY OF		0	200				
572	2.9 - 85 PSI	.19-8.0 BAR	250:1 to 25:1	.4% to 4%	.51 to 5.0	4 to 40		
573	2.9 - 85 PSI	.19-8.0 BAR	250:1 to 25:1	.4% to 4%	.51 to 5.0	4 to 40	Chemical On/Off	
574	2.9 - 60 PSI	.19-8.0 BAR	33:1 to 10:1	3% to 10%	3.8 to 12.8	3 to 100		
575	2.9 - 60 PSI	.19-8.0 BAR	33:1 to 10:1	3% to 10%	3.8 to 12.8	3 to 100	Chemical On/Off	
BYPASS	000	17.3			Ďe.			
576	2.9 - 85 PSI	.19-8.0 BAR	500:1 to 50:1	.2% to 2%	.25 to 2.5	2 to 20		
577	2.9 - 85 PSI	.19-8.0 BAR	500:1 to 50:1	.2% to 2%	.25 to 2.5	2 to 20	Chemical On/Off	
		A STATE OF THE PARTY OF THE PAR		1	33			
578	2.9 - 85 PSI	.19-8.0 BAR	500:1 to 50:1	.4% to 4%	.51 to 5.0	4 to 40		
579	2.9 - 85 PSI	.19-8.0 BAR	500:1 to 50:1	.4% to 4%	.51 to 5.0	4 to 40	Chemical On/Off	
		10.7	5 5 6 C	Share of the control of	8 .			

INDUCTION RATIOS ARE BASED ON WATER THIN PRODUCTS (1CPS) HIGHER VISCOSITIES WILL AFFECT INDUCTIONS





sample applications of **MixRite** proportional dosing pumps ELEKTRING TURKEY

VEHICLE WASH

Accurate In-line application of soaps, waxes, drying agents and other chemicals

- Self-Service
- Automatic
- Tunnel
- Truck and Bus Wash
- Train Wash





FOOD & BEVERAGE

Sanitizing, Cleaning, and Lubricating

- Conveyor Lubrication
- Foaming
- Sanitizing
- Disinfecting and Cleaning
- Beverage Line Cleaning

ANIMAL MEDICATION AND NUTRIENTS

Precise dosing of livestock vitamins and medications into water supply

- Poultry
- Livestock
- Nurseries
- Kennels





FOAMING

Portable, Wall Mount, or Drop Station foam generating

- Meat Processing
- Food Service Sanitation
- Dairy
- Farm







TURF & EARTH SOIL

Metered application of lawn and garden pesticides, fertilizers, and more

- Golf Courses
- School Grounds and Parks
- Commercial Property Sprinkler Systems

MACHINE TOOL COOLANTS and METAL PROCESSING

Apply water-based lubricants and coolants efficiently

- Cutting Fluids
- Die Casting
- Grinding
- Parts Washing





AGRICULTURE

Wide range of applications for applying liquid additives into large areas

- Fertigation
- Insecticides
- Pesticides

SPECIALTY APPLICATIONS

Numerous potential areas of use

- Asphalt Release
- Pet Grooming
- Horticulture and Green Houses
- Misting and Fogging Systems
- Deodorizing
- Insect Control
- Home Garden and Yards









special pump and installation applications of





HIGHFLOWRATE

35 GPM to 110 GPM (133.3 LPM to 416.7 LPM) A fully automatic system for proportional fertilization.

- Accurately injects fertilizer in direct proportion to the water flow into the system,
- 2 inch main waterline
- 0.2% to 10% induction models are available (1:500 to 1:10)



WALL MOUNT FOAM SYSTEM

Compressed Air Foam Systems that include MixRite, foam chamber, 25'hose, and foam wand. (Wall mount spray systems also available).



BYPASS (Models 576, 577, 578, 579)

For corrosive and aggressive fluids that may damage internal pump parts. These models allow chemical to bypass main pump engine and are injected into the pump discharge line.



DROP STATION

Central Foam Systems can be built using any MixRite and multiple drop station dispensers throughout a facility.



PANEL SYSTEM

Central Cleaning/Sanitizing Carwash

- Tri-foam
- Wheel cleaning
- Presoak

Unit includes MixRite, filter, check valve, and solenoid valve mounted to a Plexiglas panel.



CART MOUNT

Mobil Cleaning/Sanitizing Systems that include MixRite, 25' hose and spray gun. (Mobile Foam systems also available).





recommended sample installations of **MixR**





pump accessories...



57-11-1 Tip Kit for Lean Dilution Ratios

750:1

1000:1

1500:1

2000:1

Includes 4 metering tips, 8 ft. 1/4" vinyl hose and 1/4"x3/8" barb adapter



50-41-1 Strainer 200 Mesh (80 Micron) Strainer recommended on all MixRite installations



476P 3/4" Diaphragm DEMA Solenoid Valve (other sizes are available)





Antalya Main Office: Tahilpazari Mah. Tugayoğlu Is Merkezi Kat 4, No:22 07140, Kapaliyol, Antalya / Turkey Tel: +90(242)2487086 • Gsm: +90(532)4558130 • antalya@mixriteturkey.com

Ankara Sales Office: Mesrutiyet Cad. Hatay Sk. No:6/C 06640 Ankara / Turkey Tel: +90(312)3229091 • Faks: +90(312)4258438 • Gsm: +90(532)2822183 • info@mixriteturkey.com

www.mixriteturkey.com

